

Coil Nailer 903DCC

12100470



More details:



Fastener type

- BeA Nails BDC, BeA Nails TC
- Diameter: 2,5 - 3,8 mm
- Length: 45 - 90 mm

Product strengths

- Adjustable ventilation
- Contact release
- Integrated noise reduction
- Tool-free depth control

Scope of operation

Carpentry, Industrial packaging, Pallet construction and repair, Prefabricated house construction, Timber construction

Scope of delivery

Sparepart list, User manual


Technical data

EAN	4045759048558
Type of fastener	BeA Nails BDC, BeA Nails TC
Fastener diameter min	2,5 mm
Fastener diameter max	3,8 mm
Fastener length min	45 mm
Fastener length max	90 mm
Tool magazin slope	16 °
Magazine capacity max	1 coil
Weight	3 kg
Driving system	Compressed air
Activation method	Contact activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	4,4 l (8 bar)
Depth adjustment	Yes
Tool length	311 mm
Tool width	132 mm
Tool height	357 mm
BG eligible for funding	No
Declaration of conformity	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	97,2 dB(A)
Noise characteristic L WA, 1s, d according to EN 12549	107,5 dB(A)

Technical data

Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Vibration value ahd according to ISO 8662	4,04 m/s ²
Vibration value Ka according to ISO 8662	2,02 m/s ²
Weight incl. packaging	7,5 kg

Related fastener



BeA Nails BDC


- Diameter: 2,5 - 3,5 mm
- Length: 45 - 90 mm

Item No.	Diameter x Length	Nail shank	Material
10500122	2,8 mm x 60 mm	Smooth shank	Steel, bright
10500126	2,8 mm x 60 mm	Ring shank	Steel, bright
10500138	2,8 mm x 65 mm	Ring shank	Steel, galvanized
10500141	2,5 mm x 65 mm	Smooth shank	Steel, bright
10500144	2,8 mm x 65 mm	Smooth shank	Steel, bright
10500146	2,5 mm x 65 mm	Ring shank	Steel, bright
10500155	2,8 mm x 70 mm	Ring shank	Steel, galvanized
10500156	2,5 mm x 70 mm	Smooth shank	Steel, bright
10500160	2,5 mm x 70 mm	Ring shank	Steel, bright
10500161	2,8 mm x 70 mm	Ring shank	Steel, bright
10500173	2,8 mm x 75 mm	Smooth shank	Steel, bright
10500176	2,8 mm x 75 mm	Ring shank	Steel, bright
10500183	2,8 mm x 80 mm	Smooth shank	Steel, bright
10500184	3,1 mm x 80 mm	Smooth shank	Steel, bright
10500186	2,8 mm x 80 mm	Ring shank	Steel, bright
10500188	2,8 mm x 80 mm	Screw shank	Steel, bright
10500189	3,1 mm x 80 mm	Screw shank	Steel, bright
10500194	2,8 mm x 85 mm	Screw shank	Steel, bright
10500198	3,1 mm x 90 mm	Smooth shank	Steel, bright
10500201	3,1 mm x 90 mm	Ring shank	Steel, bright
10500202	3,1 mm x 90 mm	Screw shank	Steel, bright
10500227	2,8 mm x 65 mm	Smooth shank	Steel, galvanized
10500259	2,5 mm x 65 mm	Smooth shank	Steel, galvanized
10500287	3,1 mm x 80 mm	Ring shank	Steel, bright
10500314	3,1 mm x 70 mm	Smooth shank	Steel, galvanized
10500321	2,5 mm x 70 mm	Screw shank	Steel, bright
10500382	2,5 mm x 45 mm	Smooth shank	Steel, bright

10500424	2,5 mm x 60 mm	Ring shank	Steel, bright
10500425	2,5 mm x 65 mm	Ring shank	Steel, bright
10500429	2,5 mm x 50 mm	Smooth shank	Steel, bright
10500430	2,5 mm x 55 mm	Smooth shank	Steel, bright
10500431	2,5 mm x 60 mm	Smooth shank	Steel, bright
10500434	2,5 mm x 45 mm	Ring shank	Steel, bright
10500435	2,5 mm x 50 mm	Ring shank	Steel, bright
10500436	2,5 mm x 55 mm	Ring shank	Steel, bright
10500437	2,5 mm x 60 mm	Ring shank	Steel, bright
10500454	2,5 mm x 60 mm	Smooth shank	Steel, galvanized
10500457	2,5 mm x 45 mm	Ring shank	Steel, galvanized
10500458	2,5 mm x 50 mm	Ring shank	Steel, galvanized
10500459	2,5 mm x 55 mm	Ring shank	Steel, galvanized
10500460	2,5 mm x 60 mm	Ring shank	Steel, galvanized
10500487	2,5 mm x 57 mm	Ring shank	Steel, bright
10500820	2,5 mm x 50 mm	Ring shank	Steel, bright
10500822	2,5 mm x 55 mm	Ring shank	Steel, bright
10500825	2,5 mm x 60 mm	Screw shank	Steel, bright
10500827	2,5 mm x 65 mm	Screw shank	Steel, bright
10500954	2,5 mm x 55 mm	Screw shank	Steel, bright
10500955	2,5 mm x 60 mm	Screw shank	Steel, bright
10500957	2,8 mm x 65 mm	Screw shank	Steel, bright
10500962	2,8 mm x 90 mm	Screw shank	Steel, bright
10500977	2,5 mm x 50 mm	Screw shank	Steel, bright
10501146	2,5 mm x 65 mm	Screw shank	Steel, bright
10501159	2,8 mm x 70 mm	Screw shank	Steel, bright
10501162	2,8 mm x 75 mm	Ring shank	Steel, galvanized
10501168	2,8 mm x 80 mm	Ring shank	Steel, galvanized
10501181	2,8 mm x 90 mm	Smooth shank	Steel, bright
10501183	2,8 mm x 90 mm	Ring shank	Steel, bright
10501242	2,5 mm x 70 mm	Screw shank	Steel, bright
10501247	3,1 mm x 70 mm	Smooth shank	Steel, bright
10501248	3,1 mm x 70 mm	Ring shank	Steel, bright
10501251	3,1 mm x 80 mm	Smooth shank	Steel, galvanized
10501252	3,1 mm x 80 mm	Ring shank	Steel, galvanized
10501254	3,1 mm x 90 mm	Smooth shank	Steel, galvanized
10501255	3,1 mm x 90 mm	Ring shank	Steel, galvanized
10501258	2,8 mm x 65 mm	Ring shank	Steel, bright
10501259	2,8 mm x 70 mm	Smooth shank	Steel, bright

10501260	2,8 mm x 70 mm	Smooth shank	Steel, galvanized
10501261	2,8 mm x 75 mm	Screw shank	Steel, bright
10501271	2,5 mm x 65 mm	Ring shank	Steel, galvanized
10501363	2,5 mm x 55 mm	Screw shank	Steel, bright
10501367	2,5 mm x 75 mm	Screw shank	Steel, bright
10501433	2,8 mm x 80 mm	Screw shank	Steel, bright
10501467	2,5 mm x 60 mm	Ring shank	Steel, bright
10501490	2,5 mm x 55 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501494	2,5 mm x 65 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501496	2,8 mm x 70 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501511	3,1 mm x 80 mm	Ring shank	Steel, bright
10501533	3,1 mm x 90 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501546	2,8 mm x 65 mm	Ring shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10501622	3,1 mm x 90 mm	Screw shank	Steel, hot-dip galvanized
10501702	2,9 mm x 90 mm	Screw shank	Steel, bright
10501703	2,9 mm x 80 mm	Screw shank	Steel, bright
10501725	2,5 mm x 70 mm	Smooth shank	Steel, galvanized
10501779	3,1 mm x 70 mm	Ring shank	Steel, bright
10501814	2,8 mm x 80 mm	Ring shank	Stainless Steel (AISI 304, EN grade 1.4301, A2)
10501824	2,8 mm x 75 mm	Screw shank	Steel, bright
10502023	2,8 mm x 50 mm	Screw shank	Steel, bright
10502024	2,8 mm x 57 mm	Screw shank	Steel, bright
10502082	3,1 mm x 90 mm	Ring shank	Steel, bright
10502168	3,1 mm x 80 mm	Smooth shank	Steel, bright
10502209	3,5 mm x 65 mm	Screw shank	Steel, galvanized
10502224	3,1 mm x 90 mm	Ring shank	Steel, bright
10502225	3,5 mm x 80 mm	Screw shank	Steel, galvanized
10502259	2,9 mm x 90 mm	Screw shank	Steel, bright
10502261	3,1 mm x 80 mm	Ring shank	Steel, bright
10502299	2,5 mm x 55 mm	Smooth shank	Steel, bright

Related fastener



BeA Nails TC
· Diameter: 2,5 - 3,2 mm
· Length: 45 - 65 mm

Item No.	Diameter x Length	Screw drive type	Material
10600245	2,5 mm x 45 mm	TX15	Steel, galvanized
10600246	2,5 mm x 50 mm	TX15	Steel, galvanized
10600561	3,2 mm x 65 mm	TX	Steel, galvanized

Other variations and sizes on request