

Brad Nailer SK 350-224C

12000467



Fastener type

BeA Countersunk nails SK 300
· Length: 18 - 50 mm

Scope of operation

Dry and interior extension, Joinery, Roofing and facade, Window and door construction, Wooden constructions

Scope of delivery

Sparepart list, User manual

More details:




Technical data

<i>EAN</i>	4045759004387
Type of fastener	BeA Countersunk nails SK 300
<i>Fastener length min</i>	18 mm
Fastener length max	50 mm
<i>Tool magazin slope</i>	0 °
Magazine capacity max	104 pc
<i>Weight</i>	1,24 kg
Driving system	Compressed air
<i>Activation method</i>	Contact activation
Operating pressure min	5 bar
<i>Operating pressure max</i>	8 bar
Air consumption per drive operation	0,9 l (6 bar)
<i>Tool length</i>	248 mm
Tool width	59 mm
<i>Tool height</i>	233 mm
BG eligible for funding	No
<i>Declaration of conformity</i>	CE, EAC, UKCA
Noise characteristic L pA, 1s according to EN 12549	88,9 dB(A)
<i>Noise characteristic L WA, 1s, d according to EN 12549</i>	95,4 dB(A)
Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
<i>Vibration value ahd according to ISO 8662</i>	1,5 m/s ²
Vibration value Ka according to ISO 8662	0,7 m/s ²

Technical data

<i>Weight incl. packaging</i>	<i>1,92 kg</i>
-------------------------------	----------------

Related fastener



BeA Countersunk nails SK 300

- Diameter: 1,2 mm
- Length: 19 - 50 mm

Item No.	Diameter x Length	Nail shank	Material
10300268	1,2 mm x 19 mm	Smooth shank	Steel, galvanized
10300337	1,2 mm x 30 mm	Smooth shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10300338	1,2 mm x 35 mm	Smooth shank	Stainless Steel, (AISI 316, EN grade 1.4401, A4)
10300644	1,2 mm x 20 mm	Smooth shank	Steel, galvanized
10300645	1,2 mm x 25 mm	Smooth shank	Steel, galvanized
10300646	1,2 mm x 30 mm	Smooth shank	Steel, galvanized
10300648	1,2 mm x 35 mm	Smooth shank	Steel, galvanized
10300649	1,2 mm x 38 mm	Smooth shank	Steel, galvanized
10300650	1,2 mm x 40 mm	Smooth shank	Steel, galvanized
10300651	1,2 mm x 45 mm	Smooth shank	Steel, galvanized
10300652	1,2 mm x 50 mm	Smooth shank	Steel, galvanized
10300717	1,2 mm x 32 mm	Smooth shank	Steel, galvanized

Other variations and sizes on request